

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

**FACILITY IDENTIFICATION:**

INTERCONTINENTAL TERMINALS COMPANY

Dept:

Physical Address: 1943 INDEPENDENCE PKWY SOUTH, LA PORTE, TX 77571

Mailing Address: P.O. BOX 698, DEER PARK, TX 77536

Geographic Location:

County: HARRIS

Latitude: 29.7295

Longitude: -95.0907

Fire Department: not provided

LEPC:

☒ All facility information (not including chemical information) is identical to last year's submission

**IDENTIFICATION NUMBERS:**

Dun & Bradstreet: 67280073

NAICS: 493190 (Other Warehousing and Storage)

RMP: 100000093971 (RMP Facility ID)

Is the facility manned? ☒ Manned ☐ Unmanned

Maximum No. of Occupants: 294

**REGULATORY INFORMATION:**

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?

☒ Yes ☐ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)?

☒ Yes ☐ No

**CONTACT INFORMATION:**

[REDACTED]

[REDACTED]

[REDACTED]

Management Contact:

[REDACTED]

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

**CHEMICAL DESCRIPTIONS:**

CHEMICAL NAME: 2-ETHYLHEXANOIC ACID

CAS #: 149-57-5 EHS: NO

☐ Identical to previous year☐ Trade Secret☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas**CHEMICAL COMPONENTS:**☐ EHS, CAS: 150-76-5, Component: 4-METHOXYPHENOL, 1% Wt, Max Amt Code:**PHYSICAL HAZARDS:**

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

**HEALTH HAZARDS:**

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☒ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

**INVENTORY:**☐ Below Reporting Thresholds

Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 354

**STORAGE LOCATIONS**☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-44

Amount: 3816000 pounds

**CHEMICALS IN INVENTORY STATE FIELDS:**

No additional chemical information is required by Texas

CHEMICAL NAME: Condensate Feedstock

CAS #: EHS:

☐ Identical to previous year☐ Trade Secret☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas**CHEMICAL COMPONENTS:**☐ EHS, CAS: 109-66-0, Component: PENTANE, % Wt, Max Amt Code:☐ EHS, CAS: 108-88-3, Component: TOLUENE, % Wt, Max Amt Code:☐ EHS, CAS: 110-54-3, Component: HEXANE (N), % Wt, Max Amt Code:

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Health Hazard Not Otherwise Classified | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Germ cell mutagenicity                   |
| <input checked="" type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                             | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input type="checkbox"/> Serious eye damage or eye irritation              | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation                      |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-32  
Amount: 21400000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL TERTIARY BUTYL ETHER

CAS #: 1634-04-4 EHS: NO

- ☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 75-65-0, Component: 2-METHYL-2-PROPANOL, 2% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified          | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure)          | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                                 | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                           | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation         |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 184

#### STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-11  
Amount: 3120000 pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: 2-ETHYL HEXYL ACRYLATE  
CAS #: 103-11-7 EHS:

☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

☐ EHS, CAS: 150-76-5, Component: 4-METHOXYPHENOL, 1% Wt, Max Amt Code:

#### PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input checked="" type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

#### HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Carcinogenicity	<input checked="" type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

#### INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-35  
Amount: 3732000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcars -- Railroad Tracks

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 30-05

Amount: 9330000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 12-29

Amount: 3732000 pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACETONE

CAS #: 67-64-1 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

##### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

##### HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

##### INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-39

Amount: 27700000 pounds

☐ Confidential

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-33  
Amount: 22160000 pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-6  
Amount: 22160000 pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-7  
Amount: 9695000 pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-11  
Amount: 9695000 pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-30  
Amount: 22160000 pounds

☐ Confidential

Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: pipeline -- not regulated PHMSA  
Amount: 77000000 pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-14  
Amount: 9695000 pounds

☐ Confidential

Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-27  
Amount: 22160000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACRYLIC ACID

CAS #: 79-10-7 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☒ EHS, CAS: 123-31-9, Component: HYDROQUINONE, 0% Wt, Max Amt Code: 10

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified |  |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Corrosive to metal             |
| <input type="checkbox"/> Explosive                                | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Self-heating                             | <input type="checkbox"/> Self-reactive                             |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified            |  |
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Aspiration hazard                                   |
| <input type="checkbox"/> Carcinogenicity                                   | <input checked="" type="checkbox"/> Germ cell mutagenicity                   |
| <input checked="" type="checkbox"/> Reproductive toxicity                  | <input checked="" type="checkbox"/> Respiratory or skin sensitization        |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation   | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Skin corrosion or irritation           | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 358

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 25-5  
Amount: 9025000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 25-6  
Amount: 9025000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 50-3  
Amount: 18050000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICAL NAME: AVIATION GASOLINE

CAS #: EHS:

- ☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

- ☐ EHS, CAS: 100-41-4, Component: ETHYL BENZENE, 2% Wt, Max Amt Code:  
☐ EHS, CAS: 110-54-3, Component: HEXANE, 2% Wt, Max Amt Code:  
☐ EHS, CAS: 106-42-3, Component: P-XYLENE, 3% Wt, Max Amt Code:  
☐ EHS, CAS: 108-38-3, Component: M-XYLENE, 6% Wt, Max Amt Code:  
☐ EHS, CAS: 95-47-6, Component: O-XYLENE, 3% Wt, Max Amt Code:  
☐ EHS, CAS: 95-63-6, Component: 1, 2, 4 - Trimethyl Benzene, 3% Wt, Max Amt Code:  
☐ EHS, CAS: 108-88-3, Component: TOLUENE, 10% Wt, Max Amt Code:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified  | <input checked="" type="checkbox"/> Aspiration hazard  |
| <input type="checkbox"/> Acute toxicity (any route of exposure)  | <input type="checkbox"/> Germ cell mutagenicity  |
| <input checked="" type="checkbox"/> Carcinogenicity              | <input type="checkbox"/> Respiratory or skin sensitization                                       |
| <input checked="" type="checkbox"/> Reproductive toxicity        | <input type="checkbox"/> Simple Asphyxiant   |
| <input type="checkbox"/> Serious eye damage or eye irritation    | <input checked="" type="checkbox"/> Specific target organ toxicity (single or multiple exposure) |
| <input checked="" type="checkbox"/> Skin corrosion or irritation |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-51  
Amount: 2928000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-13  
Amount: 8540000 pounds

- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds



Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BENZENE

CAS #: 71-43-2 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☒ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-4

Amount: 30900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-8

Amount: 30900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-9

Amount: 30900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Location: TANK 100-21  
Amount: 30900000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-31  
Amount: 30900000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-55  
Amount: 30900000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-31  
Amount: 24720000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-22  
Amount: 30900000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTADIENE, 1-3

CAS #: 106-99-0 EHS:

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☒ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input checked="" type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)

Location: TANK 25-1

Amount: 5450000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)

Location: TANK 25-2

Amount: 5450000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)

Location: TANK 25-4

Amount: 5450000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)

Location: Tank 105-3

Amount: 22890000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure    Temp: Ambient temperature

Location: RAIL CARS -- RAILROAD TRACKS

Amount: N/A pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTENE-1

CAS #: 106-98-9 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☐ Liquid ☒ Gas

#### CHEMICAL COMPONENTS:

#### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☒ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

## HEALTH HAZARDS:

- |   |   |
|---|---|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                   |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization        |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                        |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |   |

## INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

## STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)  
Location: Tank 31-1  
Amount: 6510000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)  
Location: TANK 22-1  
Amount: 4620000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)  
Location: TANK 11-1  
Amount: 2310000 pounds

- ☐ Confidential  
Container Type: Rail car  
Pressure: Greater than ambient pressure    Temp: Less than ambient temperature (not cryogenic)  
Location: Railcars  
Amount: N/A pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTYL ACRYLATE

CAS #: 141-32-2 EHS: NO

- ☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

## CHEMICAL COMPONENTS:

## PHYSICAL HAZARDS:

- |   |   |
|---|---|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal   |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable |
| <input type="checkbox"/> Explosive                                |   |

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☒ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-20  
Amount: 3780000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-25  
Amount: 3780000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-54  
Amount: 31500000 pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline- not regulated  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-15  
Amount: 3780000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTYL ALCOHOL

CAS #: 71-36-3 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☐ Germ cell mutagenicity  
☒ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline -- not regulated PHMSA

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 30-1

Amount: 8580000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PHENOL

CAS #: 108-95-2 EHS: YES

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified            | <input type="checkbox"/> Aspiration hazard                                   |
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Germ cell mutagenicity                   |
| <input type="checkbox"/> Carcinogenicity                                   | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                             | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation   | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation           |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 30-8  
Amount: 11340000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 30-9  
Amount: 11340000 pounds

- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcar  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL METHACRYLATE

CAS #: 80-62-6 EHS: NO

- ☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

## PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

## HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified  | <input type="checkbox"/> Aspiration hazard                                   |
| <input type="checkbox"/> Acute toxicity (any route of exposure)  | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                         | <input checked="" type="checkbox"/> Respiratory or skin sensitization        |
| <input type="checkbox"/> Reproductive toxicity                   | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input type="checkbox"/> Serious eye damage or eye irritation    | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation |  |

## INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

## STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature  
Location: TANK 30-5  
Amount: 9960000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature  
Location: TANK 12-46  
Amount: 3984000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature  
Location: TANK 12-48  
Amount: 3984000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature  
Location: TANK 12-50  
Amount: 3984000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature  
Location: TANK 33-1  
Amount: 10956000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure   Temp: Ambient temperature



---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Location: TANK 33-2

Amount: 10956000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 50-1

Amount: 16600000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: RAIL CARS -- RAILROAD TRACKS

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 35-15

Amount: 11620000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-49

Amount: 3984000 pounds

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline -Not Regulated PHMSA

Amount: N/A pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ETHYL ACRYLATE

CAS #: 103-11-7 EHS:

☐ Identical to previous year☐ Trade Secret☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

## CHEMICAL COMPONENTS:

## PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

## HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☐ Germ cell mutagenicity  
☒ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-31  
Amount: 3732000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ETHYL ALCOHOL

CAS #: 64-17-5 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Location: Tank 80-33  
Amount: 22880000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 160-4  
Amount: 45760000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 160-5  
Amount: 45760000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 160-6  
Amount: 45760000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-12  
Amount: 3432000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-26  
Amount: 22880000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: DIETHYLENE GLYCOL

CAS #: 111-46-6 EHS: NO

☒ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 47

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 30-3  
Amount: 30000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: GASOLINE, UNLEADED

CAS #: 8006-61-9 EHS:

☒ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

☐ EHS, CAS: 71-43-2, Component: BENZENE, 3% Wt, Max Amt Code:  
☐ EHS, CAS: 100-41-4, Component: ETHYL BENZENE, 2% Wt, Max Amt Code:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input checked="" type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 06 (10,000 - 24,999 pounds)  
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: NORTH END G-TRACK

Amount: 500 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: NORTH END D-TRACK

Amount: 500 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: SOUTH OF NEW 30s TANK FARM

Amount: 2000 pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HEXANE

CAS #: 110-54-3 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

##### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

##### HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☒ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

#### INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 36-1

Amount: 8460000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-18

Amount: 2820000 pounds

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline- not regulated PHMSA

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CRUDE ISOPRENE

CAS #: 78-79-5 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Rail car

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 35-16

Amount: 8365000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 105-1

Amount: 25095000 pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL ALCOHOL

CAS #: 67-56-1 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

##### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

##### HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☒ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☐ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

##### INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

##### STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-15

Amount: 27700000 pounds

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-16

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-6

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-61

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-1

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-2

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-3

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-5

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-7

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-13



---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-14

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-18

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-19

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-20

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-17

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-35

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-36

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-38

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Location: TANK 100-11  
Amount: 27700000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline -- not regulated PHMSA  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-37  
Amount: 27700000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-49  
Amount: 27700000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-12  
Amount: 27700000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: XYLENE

CAS #: 1330-20-7 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

#### INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-23  
Amount: 30200000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-9  
Amount: 35000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-5  
Amount: 24160000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-18  
Amount: 24160000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-13  
Amount: 24160000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-27  
Amount: 30200000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline-not regulated PHMSA

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-22

Amount: 24160000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: PIPERYLENE

CAS #: 1574-41-0 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Less than ambient temperature (not cryogenic)

Location: TANK 35-5

Amount: 8540000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

CHEMICAL NAME: PYROLYSIS GASOLINE

CAS #: 68606-10-0 EHS:

☐ Identical to previous year☐ Trade Secret☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

## CHEMICAL COMPONENTS:

## PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

## HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified            | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Germ cell mutagenicity                   |
| <input checked="" type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input checked="" type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation   | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation           |  |

## INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

## STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-14

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-15

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-23

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-20

Amount: 21520000 pounds

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-19

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-7

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 30-6

Amount: 8070000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 105-2

Amount: 28245000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: RAIL CARS -- RAILROAD TRACKS

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-51

Amount: 26900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 30-7

Amount: 8070000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-10

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 35-8

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Amount: 9415000 pounds

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline - Not Regulated PHMSA

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-57

Amount: 26900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-15

Amount: 26900000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 160-3

Amount: 43040000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-21

Amount: 21520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-28

Amount: 26900000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: TOLUENE

CAS #: 108-88-3 EHS: NO

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☒ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-13  
Amount: 24560000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-9  
Amount: 10745000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-56  
Amount: 30700000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-18  
Amount: 24560000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-16  
Amount: 24560000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential



Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 80-28  
Amount: 24560000 pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline - not reg PHMSA  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-29  
Amount: 30700000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-39  
Amount: 30700000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: VINYL ACETATE  
CAS #: 108-05-4 EHS: YES

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-33

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-7

Amount: 32800000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-16

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-3

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 35-04

Amount: 11480000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-14

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-19

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-30

Amount: 3936000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Location: TANK 12-32  
Amount: 3936000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline - not reg PHMSA  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: NAPHTHA  
CAS #: 8030-30-6 EHS:

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	
<input type="checkbox"/> Acute toxicity (any route of exposure)	
<input checked="" type="checkbox"/> Carcinogenicity	<input checked="" type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Respiratory or skin sensitization
<input checked="" type="checkbox"/> Skin corrosion or irritation	<input type="checkbox"/> Simple Asphyxiant
	<input checked="" type="checkbox"/> Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-32  
Amount: 24400000 pounds

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-34

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 36-02

Amount: 8784000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-08

Amount: 19520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-33

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 10-1

Amount: 2440000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 10-2

Amount: 2440000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-2

Amount: 19520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-30

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-25

Amount: 19520000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-39

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-63

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-64

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-10

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-65

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-21

Amount: 24400000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 100-31

Amount: 24400000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HEXENE-1

CAS #: 592-41-6 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |   |   |
|---|---|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input checked="" type="checkbox"/> Aspiration hazard             |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                   |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization        |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                        |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |   |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 364

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-11  
Amount: 2820000 pounds

- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-7  
Amount: 2820000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-59  
Amount: 23500000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-60  
Amount: 23500000 pounds

- ☐ Confidential

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-61  
Amount: 23500000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: DIESEL FUEL

CAS #: 68476-34-6 EHS:

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input checked="" type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Road between 1st & 2nd 80s TF  
Amount: 4095 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 36-3  
Amount: 12384000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: West of 80s truck rack

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Amount: 8190 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: South of New 30s Tank Farm

Amount: 8190 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: New Manifold

Amount: 4095 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 36-4

Amount: 12384000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-31

Amount: 27520000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 30-3

Amount: 10320000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: West of 80-25

Amount: 4095 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: 60s Tank Farm

Amount: 3276 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: North end G-track

Amount: 8190 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature



---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Location: TANK 12-6  
Amount: 4128000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-5  
Amount: 4128000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-13  
Amount: 4128000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 30-10  
Amount: 10320000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 30-11  
Amount: 10320000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-25  
Amount: 34400000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-24  
Amount: 34400000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-34  
Amount: 34400000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: COMPRESSED AIR

CAS #: EHS:

☒ Identical to previous year

☐ Trade Secret

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☒ Pure ☐ Mixture ☐ Solid ☐ Liquid ☒ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input type="checkbox"/> Flammable                                 |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input checked="" type="checkbox"/> Gas under pressure            | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |   |   |
|---|---|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                   |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization        |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                        |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |   |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 04 (1,000 - 4,999 pounds)  
Avg Daily Amt code: 04 (1,000 - 4,999 pounds)  
Avg Max Amt quantity in largest container: 150 pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Other  
Pressure: Greater than ambient pressure Temp: Ambient temperature  
Location: Throughout facility  
Amount: 1200 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ETHYLENE DICHLORIDE

CAS #: 107-06-2 EHS: NO

- ☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified            | <input type="checkbox"/> Aspiration hazard                                   |
| <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) | <input checked="" type="checkbox"/> Germ cell mutagenicity                   |
| <input checked="" type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                             | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation   | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation           |  |

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

## INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

## STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-17  
Amount: 35280000 pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ISOPROPYL ALCOHOL

CAS #: 67-63-0 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

## CHEMICAL COMPONENTS:

## PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

## HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input type="checkbox"/> Skin corrosion or irritation	

## INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 364

## STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-9  
Amount: 3324000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-16

Amount: 3324000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: RAIL CARS -- RAILROAD TRACKS

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: LUBE OIL ADDITIVES

CAS #: EHS:

☐ Identical to previous year

☐ Trade Secret

☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☐ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 12-36

Amount: 3768000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

Location: TANK 12-40  
Amount: 12000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-41  
Amount: 12000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-42  
Amount: 12000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcars  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-43  
Amount: 12000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-39  
Amount: 12000 pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline - not regulated PHMSA  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL ACRYLATE  
CAS #: 96-33-3 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust

☐ Corrosive to metal

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☒ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAIL CARS -- RAILROAD TRACKS  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-6  
Amount: 11760000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: REFORMATE

CAS #: EHS:

☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☒ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-50  
Amount: 29500000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-58  
Amount: 29500000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 35-9  
Amount: 10325000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-32  
Amount: 29500000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 80-31  
Amount: 23600000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 100-65  
Amount: 29500000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BASE OIL

CAS #: EHS:

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input type="checkbox"/> Flammable                                 |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |   |   |
|---|---|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input checked="" type="checkbox"/> Aspiration hazard             |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                   |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization        |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                        |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |   |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure    Temp: Ambient temperature  
Location: TANK 12-17  
Amount: 3324000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure    Temp: Ambient temperature  
Location: TANK 100-45  
Amount: 27700000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure    Temp: Ambient temperature  
Location: TANK 100-46  
Amount: 27700000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure    Temp: Ambient temperature  
Location: Tank 35-18  
Amount: 9695000 pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure    Temp: Ambient temperature  
Location: Tank 100-47  
Amount: 27700000 pounds



---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 35-17

Amount: 9695000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-53

Amount: 27700000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 100-44

Amount: 27700000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: rail cars

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-24

Amount: 3324000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-27

Amount: 3324000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 12-36

Amount: 3324000 pounds

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: Pipeline-not regulated PHMSA

Amount: N/A pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 60-5

Amount: 16620000 pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 15-1

Amount: 4155000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 15-2

Amount: 4155000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 30-4

Amount: 8310000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-1

Amount: 22160000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: TANK 80-4

Amount: 22160000 pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: SULFURIC ACID

CAS #: 7664-93-9 EHS: YES

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

##### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☒ Corrosive to metal  
☐ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

##### HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☒ Skin corrosion or irritation

☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 07 (25,000 - 49,999 pounds)

Avg Daily Amt code: 06 (10,000 - 24,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Other

Pressure: Ambient pressure Temp: Ambient temperature

Location: IN-PLANT PIPING, LEAD ACID BATTERIES

Amount: 31000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: NITROGEN

CAS #: 7727-37-9 EHS: NO

☒ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☒ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☒ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☐ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☐ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 08 (50,000 - 74,999 pounds)

Avg Daily Amt code: 08 (50,000 - 74,999 pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Tank wagon

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: TANK TRUCK

Amount: N/A pounds

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Confidential

Container Type: Other

Pressure: Greater than ambient pressure Temp: Ambient temperature

Location: CYLINDER

Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CRUDE BUTADIENE

CAS #: 68955-28-2 EHS:

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☒ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☒ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☐ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☐ Skin corrosion or irritation

☐ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☒ Simple Asphyxiant  
☐ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Less than ambient temperature (not cryogenic)

Location: Tank 35-1

Amount: 7490000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Less than ambient temperature (not cryogenic)

Location: Tank 35-2

Amount: 7490000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Greater than ambient pressure Temp: Less than ambient temperature (not cryogenic)

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

Location: Tank 35-3  
Amount: 7490000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTYLENE  
CAS #: 25167-67-3 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☒ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input checked="" type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input type="checkbox"/> Acute toxicity (any route of exposure)	<input checked="" type="checkbox"/> Germ cell mutagenicity
<input checked="" type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input checked="" type="checkbox"/> Simple Asphyxiant
<input type="checkbox"/> Serious eye damage or eye irritation	<input type="checkbox"/> Specific target organ toxicity(single or
<input type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Greater than ambient pressure   Temp: Less than ambient temperature (not cryogenic)  
Location: Tank 25-3  
Amount: 5250000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: BUTYL METHACRYLATE  
CAS #: 97-88-1 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

---

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

## PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

## HEALTH HAZARDS:

- |  |   |
|--|---|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified          | <input type="checkbox"/> Aspiration hazard                            |
| <input type="checkbox"/> Acute toxicity (any route of exposure)          | <input type="checkbox"/> Germ cell mutagenicity                       |
| <input type="checkbox"/> Carcinogenicity                                 | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input checked="" type="checkbox"/> Reproductive toxicity                | <input type="checkbox"/> Simple Asphyxiant                            |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input type="checkbox"/> Specific target organ toxicity(single or     |
| <input checked="" type="checkbox"/> Skin corrosion or irritation         |   |

## INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 361

## STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-34  
Amount: 3780000 pounds

- ☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline - not reg PHMSA  
Amount: N/A pounds

- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcar  
Amount: N/A pounds

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-47  
Amount: 3780000 pounds

## CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ISOPENTANE

CAS #: 78-78-4 EHS: NO

- ☒ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 06 (10,000 - 24,999 pounds)  
Avg Daily Amt code: 05 (5,000 - 9,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Pipeline - not reg PHMSA  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: METHYL ETHYL KETONE

CAS #: 78-93-3 EHS: NO

- ☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified          | <input type="checkbox"/> Aspiration hazard                                   |
| <input type="checkbox"/> Acute toxicity (any route of exposure)          | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                                 | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                           | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input checked="" type="checkbox"/> Serious eye damage or eye irritation | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation                    |  |

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

---

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 36-5  
Amount: 10116000 pounds

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: PIPELINE - not reg PHMSA  
Amount: N/A pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: RAILCARS  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-21  
Amount: 3372000 pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-22  
Amount: 3372000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: CYCLOHEXANE  
CAS #: 110-82-7 EHS: NO

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	



Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcars  
Amount: N/A pounds

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: TANK 12-23  
Amount: 3264000 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: GASOLINE BLENDSTOCK

CAS #: EHS:

☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrophoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☐ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☒ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Below Reporting Thresholds

Max Daily Amt code: 13 (10 MILLION + pounds)

Avg Daily Amt code: 13 (10 MILLION + pounds)

Avg Max Amt quantity in largest container: N/A pounds

No. days on-site: 365

#### STORAGE LOCATIONS

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-3

Amount: 26560000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-2

Amount: 26560000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-6

Amount: 26560000 pounds

☐ Confidential

Container Type: Above ground tank

Pressure: Ambient pressure Temp: Ambient temperature

Location: Tank 80-24

Amount: 26560000 pounds

☐ Confidential

Container Type: Rail car

Pressure: Ambient pressure Temp: Ambient temperature

Location: Railcar

Amount: N/A pounds

#### CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ACETONE CYANOHYDRIN

CAS #: 75-86-5 EHS: YES

☐ Identical to previous year

☐ Trade Secret

☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

#### CHEMICAL COMPONENTS:

#### PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified

☐ Combustible dust

☐ Explosive

☐ Gas under pressure

☐ Organic peroxide

☐ Corrosive to metal

☒ Flammable

☐ In contact with water emits flammable gas

☐ Oxidizer

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☐ Pyrphoric gas  
☐ Self-heating

☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☒ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☐ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 10 (100,000 - 499,999 pounds)  
Avg Daily Amt code: 10 (100,000 - 499,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: LINE 56-5  
Amount: 494300 pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: HEPTANE

CAS #: EHS:

☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

☐ Physical Hazard Not Otherwise Classified  
☐ Combustible dust  
☐ Explosive  
☐ Gas under pressure  
☐ Organic peroxide  
☐ Pyrphoric gas  
☐ Self-heating

☐ Corrosive to metal  
☒ Flammable  
☐ In contact with water emits flammable gas  
☐ Oxidizer  
☐ Pyrophoric  
☐ Self-reactive

HEALTH HAZARDS:

☐ Health Hazard Not Otherwise Classified  
☒ Acute toxicity (any route of exposure)  
☐ Carcinogenicity  
☐ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☒ Skin corrosion or irritation

☒ Aspiration hazard  
☐ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 03 (500 - 999 pounds)  
Avg Daily Amt code: 02 (100 - 499 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

STORAGE LOCATIONS

☐ Confidential  
Container Type: Other  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: pipeline- not regulated by PHMSA  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: LAUREL ALCOHOL

CAS #: 112-53-8 EHS:

☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

<input type="checkbox"/> Physical Hazard Not Otherwise Classified	<input type="checkbox"/> Corrosive to metal
<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Flammable
<input type="checkbox"/> Explosive	<input type="checkbox"/> In contact with water emits flammable gas
<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Oxidizer
<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Pyrophoric
<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Self-reactive
<input type="checkbox"/> Self-heating	

HEALTH HAZARDS:

<input type="checkbox"/> Health Hazard Not Otherwise Classified	<input type="checkbox"/> Aspiration hazard
<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)	<input type="checkbox"/> Germ cell mutagenicity
<input type="checkbox"/> Carcinogenicity	<input type="checkbox"/> Respiratory or skin sensitization
<input type="checkbox"/> Reproductive toxicity	<input type="checkbox"/> Simple Asphyxiant
<input checked="" type="checkbox"/> Serious eye damage or eye irritation	<input checked="" type="checkbox"/> Specific target organ toxicity(single or
<input checked="" type="checkbox"/> Skin corrosion or irritation	

INVENTORY:

☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 365

STORAGE LOCATIONS

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-45  
Amount: 3516000 pounds

☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcars -Railroad tracks  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

CHEMICAL NAME: ALKYLATE

CAS #: EHS:

- ☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure) | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                        | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                  | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input type="checkbox"/> Serious eye damage or eye irritation   | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input type="checkbox"/> Skin corrosion or irritation           |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 120

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-6  
Amount: 24600000 pounds
- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcar  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: ODORLESS MINERAL SPIRITS

CAS #: 64741-65-7 EHS:

- ☐ Identical to previous year  
☐ Trade Secret  
☒ Pure ☐ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- |  |  |
|--|--|
| <input type="checkbox"/> Health Hazard Not Otherwise Classified  | <input checked="" type="checkbox"/> Aspiration hazard                        |
| <input type="checkbox"/> Acute toxicity (any route of exposure)  | <input type="checkbox"/> Germ cell mutagenicity                              |
| <input type="checkbox"/> Carcinogenicity                         | <input type="checkbox"/> Respiratory or skin sensitization                   |
| <input type="checkbox"/> Reproductive toxicity                   | <input type="checkbox"/> Simple Asphyxiant                                   |
| <input type="checkbox"/> Serious eye damage or eye irritation    | <input checked="" type="checkbox"/> Specific target organ toxicity(single or |
| <input checked="" type="checkbox"/> Skin corrosion or irritation |  |

INVENTORY:

- ☐ Below Reporting Thresholds  
Max Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Daily Amt code: 12 (1,000,000 - 9,999,999 pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 281

STORAGE LOCATIONS

- ☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 12-33  
Amount: 3180000 pounds
- ☐ Confidential  
Container Type: Rail car  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Railcar  
Amount: N/A pounds

CHEMICALS IN INVENTORY STATE FIELDS:

No additional chemical information is required by Texas

CHEMICAL NAME: Natural Gas Condensate

CAS #: EHS:

- ☐ Identical to previous year  
☐ Trade Secret  
☐ Pure ☒ Mixture ☐ Solid ☒ Liquid ☐ Gas

CHEMICAL COMPONENTS:

PHYSICAL HAZARDS:

- |   |  |
|---|--|
| <input type="checkbox"/> Physical Hazard Not Otherwise Classified | <input type="checkbox"/> Corrosive to metal                        |
| <input type="checkbox"/> Combustible dust                         | <input checked="" type="checkbox"/> Flammable                      |
| <input type="checkbox"/> Explosive                                | <input type="checkbox"/> In contact with water emits flammable gas |
| <input type="checkbox"/> Gas under pressure                       | <input type="checkbox"/> Oxidizer                                  |
| <input type="checkbox"/> Organic peroxide                         | <input type="checkbox"/> Pyrophoric                                |
| <input type="checkbox"/> Pyrophoric gas                           | <input type="checkbox"/> Self-reactive                             |
| <input type="checkbox"/> Self-heating                             |  |

HEALTH HAZARDS:

- ☐ Health Hazard Not Otherwise Classified

Facility Name: INTERCONTINENTAL TERMINALS COMPANY

☒ Acute toxicity (any route of exposure)  
☒ Carcinogenicity  
☐ Reproductive toxicity  
☐ Serious eye damage or eye irritation  
☐ Skin corrosion or irritation

☒ Aspiration hazard  
☒ Germ cell mutagenicity  
☐ Respiratory or skin sensitization  
☐ Simple Asphyxiant  
☒ Specific target organ toxicity(single or

**INVENTORY:**

☐ Below Reporting Thresholds  
Max Daily Amt code: 13 (10 MILLION + pounds)  
Avg Daily Amt code: 13 (10 MILLION + pounds)  
Avg Max Amt quantity in largest container: N/A pounds  
No. days on-site: 77

**STORAGE LOCATIONS**

☐ Confidential  
Container Type: Above ground tank  
Pressure: Ambient pressure Temp: Ambient temperature  
Location: Tank 100-32  
Amount: 21420000 pounds

**CHEMICALS IN INVENTORY STATE FIELDS:**

No additional chemical information is required by Texas

**FACILITY STATE FIELDS:**

Texas requests the following:

☐ Initial ☐ Updated ☒ Annual

TXT2 Number: 25333

TCEQ Regulated Entity Number (RN): RN100210806

TCEQ Customer Number (CN): CN601470222

During this reporting year, was this facility sold to another company, or did it close operations or discontinue storing reportable quantities of hazardous substances? NO

Effective Date:

**STATE / LOCAL FEES: \$100**

☐ I have attached a site plan  
☐ I have attached a list of site coordinate abbreviations  
☐ I have attached a description of dikes and other safeguard measures

**ATTACHMENTS**

N/A

**Certification (Read and sign after completing all sections)**

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 63 and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Michael A Taylor, Environmental Compliance Specialist

02/28/2019

Name and official title of owner/operator  
OR owner/operator's authorized representative

Signature

Date Signed